



Global and Phylogenetic Distribution of Quorum Sensing Signals, Acyl Homoserine Lactones, in the Family of Vibrionaceae

Rasmussen, Bastian Barker; Nielsen, Kristian Fog; Machado, Henrique; Melchiorson, Jette; Gram, Lone; Sonnenschein, Eva

Published in:
Marine Drugs

Link to article, DOI:
[10.3390/md12115527](https://doi.org/10.3390/md12115527)

Publication date:
2014

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Rasmussen, B. B., Nielsen, K. F., Machado, H., Melchiorson, J., Gram, L., & Sonnenschein, E. (2014). Global and Phylogenetic Distribution of Quorum Sensing Signals, Acyl Homoserine Lactones, in the Family of Vibrionaceae. *Marine Drugs*, 12(11), 5527-5546. <https://doi.org/10.3390/md12115527>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Correction

Correction: Rasmussen, B.B., *et al.* Global and Phylogenetic Distribution of Quorum Sensing Signals, Acyl Homoserine Lactones, in the Family of Vibrionaceae. *Mar. Drugs* 2014, 12, 5527–5546

Bastian Barker Rasmussen ¹, Kristian Fog Nielsen ², Henrique Machado ^{1,3}, Jette Melchiorson ¹, Lone Gram ¹ and Eva C. Sonnenschein ^{1,*}

¹ Department of Systems Biology, Technical University of Denmark, Matematiktorvet bldg 301, DK-2800 Kgs, Lyngby, Denmark; E-Mails: bbara@bio.dtu.dk (B.B.R.); jeme@bio.dtu.dk (J.M.); gram@bio.dtu.dk (L.G.)

² Department of Systems Biology, Technical University of Denmark, Søtofts Plads bldg 221, DK-2800 Kgs, Lyngby, Denmark; E-Mail: kfn@bio.dtu.dk

³ Novo Nordisk Foundation Center for Biosustainability, Technical University of Denmark, Kogle Allè 6, DK-2970 Hørsholm, Denmark; E-Mail: henma@biosustain.dtu.dk

* Author to whom correspondence should be addressed; E-Mail: evaso@bio.dtu.dk; Tel.: +45-4525-2518; Fax: +45-4593-2809.

Received: 16 February 2015 / Accepted: 17 February 2015 / Published: 20 March 2015

The authors wish to make the following corrections to this paper [1]: Due to duplicated and missing data in Table 3, Page 5533, replace:

Table 3. AHLs in 32 Vibrionaceae strains tested against *C. violaceum* (Cv) and *A. tumefaciens* (At) using biomass or acidified EtOAc extracts and AHLs detected by UHPLC-DAD-QTOFMS; numbers demonstrate the peak area of the AHL in the chromatogram of the first run; numbers in brackets demonstrate the peak area of the AHL in the chromatogram of the second run; the total no. of occurrences/AHL does not include the reference strain *V. anguillarum* 90-11-287.

Strain	AHL Response in				No of AHL/Strain	Peak Area (1000 Counts) of AHL in Chromatogram								
	Biomass Screen		Extract Well Assay			C4	C6	C7	C8	C12	OH-C4	OH-C6	OH-C4	OH-C6
	Cv	At	Cv	At										
S0188 ^a	—	+	+	+	9	ND	(114) ^c	178 ^b	ND	ND	32 ^b (161) ^b	880 ^b (4822) ^b	32 ^b (161) ^b	880 ^b (4822) ^b
S0202	—	+	—	+	5	ND	ND	ND	ND	ND	ND	118 ^c (1659) ^b	ND	118 ^c (1659) ^b
S0203 ^a	—	+	+	+	7	ND	ND	ND	ND	ND	40 ^b (3709) ^b	964 ^b (6479) ^b	40 ^b (3709) ^b	964 ^b (6479) ^b
S0207	+	+	—	+	4	ND	ND	ND	ND	ND	ND	167 ^c (1807) ^b	ND	167 ^c (1807) ^b
S0209 ^a	+	+	+	+	8	ND	(116) ^b	ND	ND	ND	17 ^c (342) ^b	627 ^b (4297) ^b	17 ^c (342) ^b	627 ^b (4297) ^b
S0273 ^a	+	+	+	+	7	ND	ND	ND	ND	ND	28 ^b (273) ^b	896 ^b (5918) ^b	28 ^b (273) ^b	896 ^b (5918) ^b
S0344	+	—	—	—	2	92 ^b (5352) ^b	ND	ND	ND	ND	(50) ^b	ND	(50) ^b	ND
S0787	—	+	—	+	0	ND	ND	ND	ND	ND	ND	ND	ND	ND
S0821	+	+	+	+	6	ND	ND	ND	57 ^b (6284) ^b	ND	ND	ND	ND	ND
S0843 ^a	+	—	+	+	2	317 ^b (11974) ^b	ND	ND	ND	ND	(94) ^b	ND	(94) ^b	ND
S0845	+	—	—	—	1	83 ^b (5009) ^b	ND	ND	ND	ND	ND	ND	ND	ND
S1073 ^a	—	+	—	+	0	ND	ND	ND	ND	ND	ND	ND	ND	ND
S1089	—	+	—	+	4	ND	ND	ND	ND	(125322) ^b	310 ^b (2279) ^b	(119) ^b	310 ^b (2279) ^b	(119) ^b
S1106	+	+	—	+	4	ND	ND	ND	ND	ND	ND	140 ^c (2050) ^b	ND	140 ^c (2050) ^b
S1110	+	+	—	+	2	ND	ND	ND	ND	ND	ND	ND	ND	ND
S1137	+	+	—	+	2	ND	ND	ND	ND	ND	ND	210 ^c (3154) ^b	ND	210 ^c (3154) ^b
S1162	—	+	—	+	8	ND	ND	ND	ND	ND	ND	ND	ND	ND
S1192	—	+	—	+	1	ND	ND	ND	ND	ND	ND	ND	ND	ND
S1194	—	+	—	—	2	ND	ND	ND	ND	ND	61 ^b (491) ^b	ND	61 ^b (491) ^b	ND
S1196	—	+	—	+	2	ND	ND	ND	ND	ND	163 ^b (1425) ^b	ND	163 ^b (1425) ^b	ND
S1728	—	+	—	+	4	ND	ND	ND	ND	ND	ND	61 ^c (617) ^b	ND	61 ^c (617) ^b
S1729	—	+	+	+	7	ND	ND	ND	53 ^b (5170) ^b	ND	ND	268 ^c (2943) ^b	ND	268 ^c (2943) ^b
S1730	—	+	—	+	5	ND	ND	ND	ND	ND	ND	142 ^c (2643) ^b	ND	142 ^c (2643) ^b
S1732	—	+	—	+	5	ND	ND	ND	ND	ND	ND	201 ^c (2201) ^b	ND	201 ^c (2201) ^b
S2605	+	—	—	+	1	ND	ND	ND	ND	ND	ND	33 ^c (369) ^b	ND	33 ^c (369) ^b
S2606 ^a	+	—	+	+	6	ND	(773) ^c	806 ^b	ND	ND	(90) ^b	961 ^b (6248) ^b	(90) ^b	961 ^b (6248) ^b
S2719	+	—	—	+	2	77 ^b (4578) ^c	(54) ^c	ND	ND	ND	ND	ND	ND	ND
S2757	+	+	+	+	3	ND	(69) ^c	ND	ND	ND	ND	364 ^c (5464) ^b	ND	364 ^c (5464) ^b
S3857	+	+	+	+	2	ND	52 ^c (5321) ^b	ND	(768) ^b	ND	ND	ND	ND	ND
S4497 ^a	+	—	+	+	3	19 ^b (917) ^b	286 ^b (12817) ^b	631 ^b	ND	ND	ND	ND	ND	ND
S4634	+	—	—	+	1	ND	ND	ND	ND	ND	ND	(148) ^b	ND	(148) ^b
S4738 ^a	—	+	—	+	1	ND	ND	ND	ND	ND	219 ^b (2638) ^b	ND	219 ^b (2638) ^b	ND
90-11-287	—	+	+	+	3	ND	ND	ND	ND	ND	ND	192 ^c (2162) ^b	ND	192 ^c (2162) ^b
No of occurrences/AHL						5	7	3	3	1	11	17	11	17

With: **Table 3.** AHLs in 32 Vibrionaceae strains tested against *C. violaceum* (Cv) and *A. tumefaciens* (At) using biomass or acidified EtOAc extracts and AHLs detected by UHPLC-DAD-QTOFMS; numbers demonstrate the peak area of the AHL in the chromatogram of the first run; numbers in brackets demonstrate the peak area of the AHL in the chromatogram of the second run; the total no. of occurrences/AHL does not include the reference strain *V. anguillarum* 90-11-287.

Strain	AHL Response in				No of AHL/Strain	Peak Area (1000 Counts) of AHL in Chromatogram								
	Biomass Screen		Extract Well Assay			C4	C6	C7	C8	C12	OH-C4	OH-C6	OH-C7	OH-C8
	Cv	At	Cv	At										
S0188 ^a	—	+	+	+	9	ND	(114) ^c	178 ^b	ND	ND	32 ^b (161) ^b	880 ^b (4822) ^b	15 ^c	176 ^b (1287) ^b
S0202	—	+	—	+	5	ND	ND	ND	ND	ND	ND	118 ^c (1659) ^b	ND	ND
S0203 ^a	—	+	+	+	7	ND	ND	ND	ND	ND	40 ^b (3709) ^b	964 ^b (6479) ^b	18 ^b	193 ^b (1061) ^b
S0207	+	+	—	+	4	ND	ND	ND	ND	ND	ND	167 ^c (1807) ^b	ND	ND
S0209 ^a	+	+	+	+	8	ND	(116) ^b	ND	ND	ND	17 ^c (342) ^b	627 ^b (4297) ^b	21 ^c	106 ^b (1747) ^b
S0273 ^a	+	+	+	+	7	ND	ND	ND	ND	ND	28 ^b (273) ^b	896 ^b (5918) ^b	13 ^c	199 ^b (1007) ^b
S0344	+	—	—	—	2	92 ^b (5352) ^b	ND	ND	ND	ND	(50) ^b	ND	ND	ND
S0787	—	+	—	+	0	ND	ND	ND	ND	ND	ND	ND	ND	ND
S0821	+	+	+	+	6	ND	ND	ND	57 ^b (6284) ^b	ND	ND	ND	ND	ND
S0843 ^a	+	—	+	+	2	317 ^b (11974) ^b	ND	ND	ND	ND	(94) ^b	ND	ND	ND
S0845	+	—	—	—	1	83 ^b (5009) ^b	ND	ND	ND	ND	ND	ND	ND	ND
S1073 ^a	—	+	—	+	0	ND	ND	ND	ND	ND	ND	ND	ND	ND
S1089	—	+	—	+	4	ND	ND	ND	ND	(125322) ^b	310 ^b (2279) ^b	(119) ^b	ND	ND
S1106	+	+	—	+	4	ND	ND	ND	ND	ND	ND	140 ^c (2050) ^b	ND	ND
S1110	+	+	—	+	2	ND	ND	ND	ND	ND	ND	ND	ND	ND
S1137	+	+	—	+	2	ND	ND	ND	ND	ND	ND	210 ^c (3154) ^b	ND	14 ^c (154) ^b
S1162	—	+	—	+	8	ND	ND	ND	ND	ND	ND	ND	ND	ND
S1192	—	+	—	+	1	ND	ND	ND	ND	ND	ND	ND	ND	ND
S1194	—	+	—	—	2	ND	ND	ND	ND	ND	61 ^b (491) ^b	ND	ND	ND
S1196	—	+	—	+	2	ND	ND	ND	ND	ND	163 ^b (1425) ^b	ND	ND	ND
S1728	—	+	—	+	4	ND	ND	ND	ND	ND	ND	61 ^c (617) ^b	ND	ND
S1729	—	+	+	+	7	ND	ND	ND	53 ^b (5170) ^b	ND	ND	268 ^c (2943) ^b	ND	ND
S1730	—	+	—	+	5	ND	ND	ND	ND	ND	ND	142 ^c (2643) ^b	ND	ND
S1732	—	+	—	+	5	ND	ND	ND	ND	ND	ND	201 ^c (2201) ^b	ND	ND
S2605	+	—	—	+	1	ND	ND	ND	ND	ND	ND	33 ^c (369) ^b	ND	ND
S2606 ^a	+	—	+	+	6	ND	(773) ^c	806 ^b	ND	ND	(90) ^b	961 ^b (6248) ^b	57 ^b (1663) ^b	38 ^b (285) ^b
S2719	+	—	—	+	2	77 ^b (4578) ^c	(54) ^c	ND	ND	ND	ND	ND	ND	ND
S2757	+	+	+	+	3	ND	(69) ^c	ND	ND	ND	ND	364 ^c (5464) ^b	ND	ND
S3857	+	+	+	+	2	ND	52 ^c (5321) ^b	ND	(768) ^b	ND	ND	ND	ND	ND
S4497 ^a	+	—	+	+	3	19 ^b (917) ^b	286 ^b (12817) ^b	631 ^b	ND	ND	ND	ND	ND	ND
S4634	+	—	—	+	1	ND	ND	ND	ND	ND	ND	(148) ^b	ND	ND
S4738 ^a	—	+	—	+	1	ND	ND	ND	ND	ND	219 ^b (2638) ^b	ND	ND	ND
90-11-287	—	+	+	+	3	ND	ND	ND	ND	ND	ND	192 ^c (2162) ^b	ND	ND
No of occurrences/AHL						5	7	3	3	1	11	17	5	6

The authors would like to apologize for any inconvenience caused to the readers by these changes.

Reference

1. Rasmussen, B.B.; Nielsen, K.F.; Machado, H.; Melchiorson, J.; Gram, L.; Sonnenschein, E.C. Global and phylogenetic distribution of quorum sensing signals, acyl homoserine lactones, in the family of Vibrionaceae. *Mar. Drugs* **2014**, *12*, 5527–5546.

© 2015 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution license (<http://creativecommons.org/licenses/by/4.0/>).